

Supplementary Material

3D porous NiCo₂(CO₃)₃/reduced graphene oxide with heterogeneous interfaces for high-efficiency microwave absorption

Dan-dan WU ^{1,2}, Han-xiao ZHANG ^{1,2}, Zheng-yan WANG ^{1,2}, Yan-lan HANG ^{1,2},
Yong-zhen WANG ^{1,2}

(1. College of Materials Science and Engineering, Taiyuan University of Technology, Taiyuan 030024, China;

2. Shanxi Joint Laboratory of Coal based Solid Waste Resource Utilization and Green Ecological Development, Taiyuan 030024, China)

Corresponding author: ZHANG Yan-lan, Lecturer. E-mail: zhangyanlan@tyut.edu.cn;

WANG Yong-zhen, Professor. E-mail: wangyongzhen@tyut.edu.cn

Author introduction: WU Dan-dan, Master student. E-mail: 1134450786@qq.com

Table S1 The comprehensive comparison of the EMA performance in view of RL_{\min} and EAB with reported EAMs.

	Material Name	Filler	RLmin	EAB	Refs
1	Hollow Ni/rGo	11	-33.1	2.1	[1]
2	C/CoFe ₂ O ₄	30	-49.6	3.1	[2]
3	PCMs	3	-45.02	4.02	[3]
4	Ti ₃ C ₂ Tx@rGOA	15	-31.2	5.4	[4]
5	rGOA/SiC	50	-47.3	4.7	[5]
6	TiO ₂ @Fe ₃ O ₄ @ppy	40	-61.8	3.1	[6]
7	Fe ₃ O ₄ @ TiO ₂	16.7	-23.3	6	[7]
8	rGO/Ni nanofiber	15	-50.5	4.2	[8]
9	Fe@Carbon dual-shells	30	-54.5	4.3	[9]
10	CMT@CNT/Co	15	-52.3	5.1	[10]
11	NiFe ₂ O ₄ /rGo	50	-42	5.3	[11]
12	Fe ₃ O ₄ @C	25	-61.5	4.3	[12]
13	MWCNT/N-doped rGOA	8	-69.6	4.3	[13]
14	Al ₄ C ₃ @C	50	-47.1	5.5	[14]
15	ZnO@carbon	60	-50.05	5.68	[15]
16	GA@Ni hybrids	4.25	-52.3	5.5	[16]
17	NiCo ₂ (CO ₃) ₃ /RGO	30	-58.5	6.5	This work

References

- [1] Zhang B, Wang J, Wang T, et al. High-performance microwave absorption epoxy composites filled with hollow nickel nanoparticles modified graphene via chemical etching method[J]. *Composites Science and Technology*, 2019, 176: 54-63.
- [2] Huangfu Y, Liang C, Han Y, et al. Fabrication and investigation on the Fe₃O₄/thermally annealed graphene aerogel/epoxy electromagnetic interference shielding nanocomposites[J]. *Composites Science and Technology*, 2019, 169: 70-75.
- [3] Xu J, Zhang X, Zhao Z, et al. Lightweight, Fire-Retardant, and Anti-Compressed Honeycombed-Like Carbon Aerogels for Thermal Management and High-Efficiency Electromagnetic Absorbing Properties[J]. *Small*, 2021, 17(33): 2102032.
- [4] Wang L, Liu H, Lv X, et al. Facile synthesis 3D porous MXene Ti₃C₂T_x@RGO composite aerogel with excellent dielectric loss and electromagnetic wave absorption[J]. *Journal of Alloys and Compounds*, 2020, 828: 154251.
- [5] Jiang Y, Chen Y, Liu Y-J, et al. Lightweight spongy bone-like graphene@SiC aerogel composites for high-performance microwave absorption[J]. *Chemical Engineering Journal*, 2018, 337: 522-531.
- [6] Ding J, Wang L, Zhao Y, et al. Boosted Interfacial Polarization from Multishell TiO₂@Fe₃O₄@PPy Heterojunction for Enhanced Microwave Absorption[J]. *Small*, 2019, 15(36): 1902885.
- [7] Liu J, Che R, Chen H, et al. Microwave absorption enhancement of multifunctional composite microspheres with spinel Fe₃O₄ Cores and Anatase TiO₂ shells[J]. *Small*, 2012, 8(8): 1214-1221.
- [8] Sheng A, Yang Y, Yan D-X, et al. Self-assembled reduced graphene oxide/nickel nanofibers with hierarchical core-shell structure for enhanced electromagnetic wave absorption[J]. *Carbon*, 2020, 167: 530-540.
- [9] Li X P, Deng Z, Li Y, et al. Controllable synthesis of hollow microspheres with Fe@Carbon dual-shells for broad bandwidth microwave absorption[J]. *Carbon*, 2019, 147(44).
- [10] Wu Z, Pei K, Xing L, et al. Enhanced Microwave Absorption Performance from Magnetic Coupling of Magnetic Nanoparticles Suspended within Hierarchically Tubular Composite[J]. *Advanced Functional Materials*, 2019, 29(28): 1901448.
- [11] He J-Z, Wang X-X, Zhang Y-L, et al. Small magnetic nanoparticles decorating reduced graphene oxides to tune the electromagnetic attenuation capacity[J]. *Journal of Materials Chemistry C*, 2016, 4(29): 7130-7140.
- [12] Wang X, Pan F, Xiang Z, et al. Magnetic vortex core-shell Fe₃O₄@C nanorings with enhanced microwave absorption performance[J]. *Carbon*, 2020, 157: 130-139.
- [13] Shu R, Wan Z, Zhang J, et al. Facile Design of Three-Dimensional Nitrogen-Doped Reduced Graphene Oxide/Multi-Walled Carbon Nanotube Composite Foams as Lightweight and Highly Efficient Microwave Absorbers[J]. *ACS Appl Mater Interfaces*, 2020, 12(4): 4689-4698.
- [14] Hua A, Li Y, Pan D, et al. Enhanced wideband microwave absorption of hollow carbon nanowires derived from a template of Al₄C₃@C nanowires[J]. *Carbon*, 2020, 161: 252-258.

[在此处键入]

New Carbon Materials, 2023, 38(6): 1035 - 1049

- [15] Yan L, Zhang M, Zhao S, et al. Wire-in-tube ZnO@carbon by molecular layer deposition: Accurately tunable electromagnetic parameters and remarkable microwave absorption[J]. Chemical Engineering Journal, 2020, 382.
- [16] Xu D, Yang S, Chen P, et al. Synthesis of magnetic graphene aerogels for microwave absorption by in-situ pyrolysis[J]. Carbon, 2019, 146: 301-312.

NEW CARBON MATERIALS